


PRESENTING THE WARDROBE PROGRAMME


SWING DOOR WARDROBE




HEIGHTS:	MODULES:
- 2256	- 425
- 2384	- 475
- 2544	- 575
- 2896	- 875
	- 975
	- 1175
	- Corner
	- End

PRESENTING THE WARDROBE PROGRAMME


COPLANAR SLIDING DOOR WARDROBE



HEIGHTS:	MODULES:
- 2256	- 875 _1 door W. 909
- 2384	- 975 _1 door W. 1009
- 2544	- 1175 _1 door W. 1209
	- 1325 _1 door W. 1399
	- 1475 _1 door W. 1509





SLIDING DOOR WARDROBE



HEIGHTS:	MODULES:
- 2256	- 725 _1 door W. 770
- 2384	- 875 _1 door W. 920
- 2544	- 975 _1 door W. 1020
	- 1175 _1 door W. 1220
	- 1325 _1 door W. 1370
	- 1475 _1 door W. 1520
	- Corner

STEP_SWING DOOR




TECHNICAL FEATURES

The Step door is composed of:
 - a 21 mm thick structural particleboard panel (A) with a low formaldehyde content.
 - n° 3/4 x 4 mm thick panels always applied with the same finish. (B)
 - n° 1 x 4 mm thick handle panel. (C)
 - matt lacquered aluminium profiles.

N.B.: NOT AVAILABLE WITH LOCK

CROSS-SECTION



STRUCTURAL PANEL (A)



The aluminium frames are matt lacquered to match the finish of the panel (A).
 The following combinations with the wood finishes are available:

- Structural panel (A):**
 Natural chestnut = Beige seta
 Avana oak = Beige fango
 Lince oak = Grigio tasmania
 Canaletto walnut = Beige argilla
 Tabacco oak = Marrone corteccia
 Dark oak = Marrone corteccia


DOOR DIMENSIONS

DOOR TYPES	H. 2256	H. 2384	H. 2544	H. 2896
Swing	W. 450 •	•	•	—
	W. 500 •	•	•	—
	W. 600 •	•	•	—

• = AVAILABLE


CUSTOM-SIZING IS NOT POSSIBLE

STEP_SWING DOOR



EXAMPLES


EXAMPLE_A (A SINGLE COLOUR WITH THREE DIFFERENT MODULES)




EXAMPLE_B (TWO DIFFERENT COLOURS WITH THREE IDENTICAL MODULES)




EXAMPLE_C (TWO DIFFERENT COLOURS, 5-DOOR WARDROBE)



EXAMPLE_D (TWO DIFFERENT COLOURS WITH DIFFERENT COLOURED HANDLES (C))



STEP DOOR



STRUCTURAL PANEL (A)



The aluminium frames are matt lacquered to match the finish of the panel (A).
The following combinations with the wood veneer are available:

Structural panel (A):	
Natural chestnut	= Beige seta
Avana oak	= Beige fango
Linçe oak	= Grigio tasmania
Canaletto walnut	= Beige argilla
Tabacco oak	= Marrone corteccia
Dark oak	= Marrone corteccia


TECHNICAL FEATURES

The Step door is composed of:
- a 21 mm thick structural panel with a low formaldehyde content (A)
- n° 3 / 4 x 4 mm thick panels in a single finish (B)
- n° 1 x 4 mm thick handle panel (C)
- matt lacquered aluminium frames.

DOOR TYPES

- SWING
- FOLDING

CROSS-SECTION



PANELS (B)



N.B.: the panels (B) always have the same finish.

HANDLE PANEL (C)




DOOR DIMENSIONS

DOOR TYPES	H. 2256	H. 2384	H. 2544	H. 2896
SWING	W. 450	•	•	•
	W. 500	•	•	•
	W. 600	•	•	•
FOLDING	W. 450	•	•	•
	W. 500	•	•	•
	W. 600	•	•	•


STEP DOOR

EXAMPLES

EXAMPLE_A



EXAMPLE_B



• = AVAILABLE

CUSTOM-SIZED REDUCTIONS ARE NOT POSSIBLE